

Effect of Ingested Liquids on Color Change of Composite Resins

Beheshteh Malek Afzali¹, Amir Ghasemi², Asrin Mirani³, Zahra Abdolazimi^{✉4}, Alireza Akbarzade Baghban⁵,
Mohammad Javad Kharazifard⁶

¹Associate Professor, Department of Pedodontics, Dental School, Shahid Beheshti University of Medical Sciences, Tehran, Iran

²Associate Professor, Department of Restorative Dentistry, Dental Research Center, Shahid Beheshti University of Medical Sciences, Tehran, Iran

³Dentist, Tehran, Iran

⁴Postgraduate Student of Pediatric Dentistry, Dental School, Shahid Beheshti University of Medical Sciences, Tehran- Iran

⁵PhD in Biostatistics, Associate Professor, Department of Basic Sciences, School of Rehabilitation, Shahid Beheshti University of Medical Sciences, Tehran, Iran

⁶Epidemiologist, Dental Research Center, Dentistry Research Institute, Tehran University of Medical Sciences, Tehran, Iran; Statistical and Methodology Department, Dental School, Tehran University of Medical Sciences, Tehran, Iran

Abstract:

Objectives: Color change of composite restorations is well known to dentists. However, the effect of commonly consumed drinks on discoloration of composite resins has yet to be determined. This study sought to assess the color change of a nanofilled (Premise) and a flowable composite resin (Premise flowable) following simulated consumption of tea, cola, iron drops and multivitamin syrup.

Materials and Methods: Forty disk-shaped specimens (7 mm in diameter and 2 mm thick) were fabricated from each composite resin. The baseline color values were measured according to the CIE L*a*b* system using digital imaging. The specimens of each restorative material were randomly divided into five groups (eight each) according to the storage media namely tea, cola, iron drops, multivitamin syrup or distilled water (control). The specimens were immersed in staining solutions for three hours daily over a 40-day test period. Following this, the color change values (ΔE^*) were calculated. For statistical analyses, the color differences were analyzed using two-way ANOVA and Tukey's test ($P < 0.05$).

Results: There was no significant difference in ΔE^* values between the two types of composite resins ($P > 0.05$). In both composite materials, the difference among the solutions was not significant ($P > 0.05$).

Conclusion: Under the tested experimental conditions, both restorative materials were susceptible to discoloration by all four staining solutions. The color change values were not related to the solution or the type of material used.

Keywords: Composite Resins; Tooth Discoloration; Color

Journal of Dentistry, Tehran University of Medical Sciences, Tehran, Iran (2015; Vol. 12, No. 8)

✉ Corresponding author:

Z. Abdolazimi, Department of Pediatric Dentistry, Dental School, Shahid Beheshti University of Medical Sciences, Tehran, Iran

zahraabdolazimi@yahoo.com

Received: 20 February 2015

Accepted: 22 June 2015

INTRODUCTION

At present, various types of aesthetic restorative materials are widely used with different properties and colors. Composite resins are among the tooth-colored restorative materials of choice for many dentists due to their high acceptance by patients and their

ability to bond to tooth structure, their excellent esthetic properties, favorable strength, relatively low cost (compared to ceramics) and application in both anterior and posterior teeth [1-3]. The success of composite restorations highly depends on the color stability of resin in long-term.

Perceptible discoloration of the restorative materials may compromise restoration esthetics, which is among the most common reasons for replacement of anterior composite resin restorations [1,3,4]. Both intrinsic and extrinsic factors may be responsible for the color change of composite restorations. Color change of the resin matrix itself or the matrix/filler interface, chemical discoloration related to the alteration or oxidation of amine catalyst, resin matrix structure and unreacted methacrylates due to incomplete polymerization comprise the intrinsic factors [4]. Extrinsic staining occurs as the result of adsorption and/or absorption of staining materials due to exposure to external sources [4]. The degree of color change varies from patient to patient based on oral hygiene status, nutritional habits, smoking status and consumption of different beverages [4].

Numerous studies have demonstrated the effect of staining solutions such as red wine, coffee, cola and tea on composite resins [5]. According to Ardu et al, in 2010, the degree of composite color change depends on the brand and structure of composite resin. Among the staining agents, red wine caused the highest color change followed by coffee, tea, orange juice, and cola [6]. Nasoohi and Ghaemi in 2013 found that color change of Filtek P60 and Z250 composite resins was clinically unacceptable and the degree of alteration was higher as the result of exposure to imported tea than the Iranian tea [7].

Ertas et al, in 2006 reported lower stainability of Filtek P60 and Z250 composite resins than nano-hybrid composites and Quadrant LC. Red wine had the highest staining potential in comparison with coffee, tea, cola, and water, respectively [8].

khatri and Nandlal in 2010 showed that the color change of conventional composites (TPH spectrum, Dentsply B1) was more severe than that of Ceram X B1 nanocomposite especially in coffee [9].

In a study by Mahdisiar et al, in 2014, three nanocomposites (Grandio, Z350XT and Herculite XRV Ultra) showed clinically unacceptable discoloration when immersed in coffee [10]. Composite resins are increasingly used in pediatric dentistry and only a few studies have evaluated the effect of commonly used beverages and medications by children particularly iron drop and multi-vitamin syrup on discoloration of composite resins. On the other hand, the degree of color change depends on the composition of materials [11]. Therefore, the purpose of this in vitro study was to assess the color change of nanofilled and flowable composite resins (Premise, Kerr, Orange, CA, USA) following exposure to tea, cola, iron drop and multivitamin syrup.

MATERIALS AND METHODS

Specimen preparation

This study had an in vitro experimental design. A2 color shades of a flowable composite resin (Premise, Kerr, Orange, CA, USA) and a nanofilled composite resin (Premise, Kerr, Orange, CA, USA) were used in this study (Table 1).

According to Curtin et al, in 2008 [12] 40 disk-shaped specimens were fabricated of each material (7 mm in diameter and 2 mm thick), using plastic molds. The molds containing composite resin were held between two glass slides, each covered with a transparent polyester strip (Mylar; Henry Schein, Melville, NY, USA), and the slides were gently pressed to remove excess material.

Table 1. Name, material type and manufacturer of the tested resin-based composites.

Product	Material Type	Manufacturer	Lot No.
Premise Trimodal	Nanofill	Premise, Kerr, Orange, CA, USA	290395
Premise Flowable	Flowable	Premise, Kerr, Orange, CA, USA	2893365

The top and bottom surfaces of each specimen were light-cured for 40 seconds using a conventional halogen light-curing unit (Optilux 401 Demetron, Kerr, Orange, CA, USA) with a light intensity of 500 mW/cm². The tip of the light guide was in contact with the cover glass during the light-polymerization process. After removing the specimens from the molds, they were stored in distilled water for 24 hours at 37°C for rehydration and completion of their polymerization. The top surfaces of all specimens were wet-polished with 800-, 1000, 1500-, and 2000-grit silicon carbide papers, consecutively.

Staining process

Four types of liquids commonly consumed by children namely tea, cola, iron drops (Ferbolin, Shahredaru, Tehran, Iran) and multivitamin syrup (Minadex, Marfleet, England) were tested in the present study (Table 2). Eight samples were randomly selected from each material and immersed in each of the four staining solutions for three hours per day at 37°C over a 40-day test period [13]. Tea solution was prepared by immersing two tea bags (Ahmad tea Hashtgerd, Tehran, Iran), (2 × 2 g) into 300 mL of boiling distilled water for 10 minutes [8]. All the test solutions were refreshed daily prior to each test period. The distilled water group was considered as control. Following completion of the immersion time, the samples were rinsed under running distilled water and air-dried. Samples were then stored in distilled water at 37°C.

Color testing

The samples were digitally photographed at baseline and after staining (Finepix S9600, Fuji, Tokyo, Japan) under standardized conditions against a black background (distance: 25 cm zoom: ×1). Daylight was blocked out and two 6500°K light sources were placed at 45-degree angles relative to the subject. The photographic procedure included a piece of gray card in the picture as a neutral reference object. Color casts were eliminated and image brightness was fine tuned using a standard image-editing program (Adobe Photoshop cs5, Adobe Systems Incorporated, San Jose, CA, USA) before the relevant color values were measured [14].

Values were recorded using the CIE (Commission International de l' Eclairage) L*a*b* color system [15].

In Photoshop software, the range of the mean L* (L [PM]) value is 0 to 255. The CIE L* value ranges from 0 to 100. A transformation can be done using the following formula:

$$L^* = L (PM) \times 100/255$$

The a* and b* values were transformed in the same manner. The Photoshop values range from 0 to 255, and the CIE L*a*b* values from -120 to +120.

The transformation formulas are as follows:

$$a^* = [a (PM) - 128] \times 240/255$$

$$b^* = [b (PM) - 128] \times 240/255$$

Where a (PM) and b (PM) are the Photoshop mean values of a* and b*, respectively [13].

The color differences or ΔE^* between the two measurements were calculated as follows [15]:

Table 2. Staining solutions used in the study

Product	Trade name	Manufacturer
Tea	Ahmad Tea	Ahmad Tea Tehran, Hashtgerd, Iran
Cola	Coca-Cola	Khoshgovar Tehran Co., Qazvin, Iran
Iron drop	Ferbolin	Shahredaru, Tehran, Iran
Multivitamin syrup	Minadex	Seven Seas Health Care, Marfleet, Hull, England

$$\Delta E^* = [(\Delta L^*)^2 + (\Delta a^*)^2 + (\Delta b^*)^2]^{1/2}$$

The ΔE^* values greater than or equal to 3.7 were considered as clinically-unacceptable color change that can be detected by the naked eye [15,16].

Statistical analysis

Data were analyzed using SPSS version 16 software (SPSS Inc., Chicago, IL, USA). Descriptive statistics were shown as mean \pm standard deviation (SD). Two-way ANOVA was used to evaluate the effects of material type and staining solution on color change. Thus, subgroup analysis was performed with independent t-test, and Bonferroni correction was also applied.

RESULTS

The mean and SD values of ΔL^* , Δa^* , Δb^* and ΔE^* for each material are listed in Table 3.

Distilled water caused no visible color change ($\Delta E < 3.7$). The color change values (ΔE^*) of tea, cola and iron drops for flowable composite and nanofilled composite were higher than 3.7. According to the results of the two-way ANOVA, the interactions between all materials and staining solutions were significant ($P=0.048$). Subgroup analysis showed no significant differences between the composite resin materials for all staining solutions ($P=0.058$).

DISCUSSION

Color stability of tooth-colored restorations is of particular importance because of their aesthetics and reduction of additional cost due to frequent replacement.

In addition to the above, fewer treatment sessions for restoration replacement is a top priority in pediatric dentistry.

Table 3. The mean values and standard deviations of ΔL^* , Δa^* , Δb^* and ΔE^* for the staining solutions and distilled water

Product	Nanofilled composite	Flowable composite	P value
Tea			
ΔL^*	-28.6 \pm 0.5	-27.3 \pm 1.3	0.098
Δa^*	6.6 \pm 0.5	6.2 \pm 0.4	0.114
Δb^*	0.8 \pm 1.5	1.7 \pm 1.1	0.297
ΔE^*	29.4 \pm 0.5	28.1 \pm 1.2	0.073
Cola			
ΔL^*	-1.4 \pm 0.4	-1.9 \pm 0.4	0.085
Δa^*	3.1 \pm 0.4	3.4 \pm 0.5	0.197
Δb^*	-0.7 \pm 1.3	0.9 \pm 0.4	0.058
ΔE^*	3.8 \pm 0.4	4.0 \pm 0.7	0.325
Iron drop			
ΔL^*	-4.1 \pm 6.4	-1.9 \pm 1.0	-
Δa^*	3.3 \pm 0.5	3.2 \pm 0.3	0.814
Δb^*	0.2 \pm 0.7	0.9 \pm 1.0	0.164
ΔE^*	5.9 \pm 5.8	4.0 \pm 0.5	0.614
Multivitamin syrup			
ΔL^*	-1.6 \pm 0.5	-1.7 \pm 0.4	0.974
Δa^*	3.1 \pm 0.7	2.6 \pm 0.6	-
Δb^*	-0.2 \pm 1.2	-0.3 \pm 0.8	0.849
ΔE^*	3.7 \pm 0.7	3.2 \pm 0.7	0.081
Distilled water			
ΔL^*	-0.8 \pm 0.7	-0.8 \pm 0.8	-
Δa^*	0.2 \pm 0.4	-0.2 \pm 0.2	-
Δb^*	-1.3 \pm 1.7	-0.4 \pm 0.6	-
ΔE^*	2.0 \pm 1.4	1.1 \pm 0.7	-

This study sought to assess the staining effect of different staining solutions on the color change of two widely used composite resin materials in primary teeth.

Based on a study by Dozić et al, spectrophotometry and digital camera are the most reliable methods for determining the tooth color [17]. Spectrophotometer is a complex, expensive and technique-sensitive tool to determine the tooth color just in the surface. Thus, we used digital radiography for color measurements as an easier and reliable tool with optimal repeatability, sensitivity and objectivity. It provides quantitative data along with digital images [18,19].

Previous studies showed that validity and reliability of digital imaging were similar or even superior to those of spectrophotometry [18-21].

We chose CIE Lab system for measuring chromacity and recording color differences because this system is suitable for identification of small color changes and has some advantages namely repeatability, sensitivity and objectivity [22].

In our study, color-change values (ΔE) of tea, cola, and iron drops for flowable composite resin and color-change values of tea, cola, iron drops and multivitamin syrup for nanofilled composite resin were larger than 3.7 that can be detected with the naked eye [23]. Additionally, no significant difference in discoloration was noted between the tested composites. In accordance with our results, Ardu et al, in 2010 demonstrated that color change of Premise composite was clinically unacceptable after exposure to different staining solutions [6].

Nasoohi et al, in 2007 found no significant difference in color change between two different types of composites (Premise nanofiller and Point 4 microhybrid composite) after exposure to Iranian and imported tea [7].

In this regard, Mundim et al, in 2010 reported that although color change of composite resins

with high filler content was lower than that of composite resins with lower filler content, this difference was not statistically significant [24]. Mazaheri et al, in 2013 showed that there was no difference in stainability of new nanofiller composite resins in comparison with microhybrid composite resins, but type of staining solution had a significant effect on color change [3]. Patel et al, in 2004 reported that the degree of color change was related to the type of staining solution used and did not depend on the type of composite resin [25]. Surface roughness, amount and size of filler particles and the physical, chemical and mechanical characteristics of resin matrix such as water sorption, hydrophilicity and the degree of conversion are the factors affecting composite resin stainability [23]. Nanofilled composite resins are made of two different particle sizes namely nanomer (individual and roughly spherical fillers) and nanocluster (loosely agglomerated collection of nanoparticles) that have several advantages namely low polymerization shrinkage, high mechanical properties, better gloss retention, less wear and control of transparency [9]. As stated by the manufacturer, Premise Trimodal is a nano-composite composed of three different types of filler components namely non-agglomerated discrete silica nanoparticles, barium glass, and pre-polymerized filler. It can be expected that nano-composites with a smaller particle size will have a smoother surface and will retain less surface stains [13, 26]. However, in the current study, these differences were not evident, as no significant difference in discoloration was noted between the tested composites. This could be due to the similar filler particles and the fact that both composite resins were nanofilled.

Generally, all staining agents stained all composite resin materials; tea produced the most severe stain and multivitamin syrup the least.

The color change values in all solutions were not significantly different between the two composites ($P>0.05$) (Table 3). This finding is somehow in accord with the results of previous studies by Nasoohi et al, in 2011 [23] Yousef and Naga in 2012 [27] and Fontes et al, in 2009 [28]. Ertas et al, in 2006 [8] and Ardu et al, in 2010 [6] showed that tea produced significant discoloration in some types of composite resins that is inconsistent with our results. It could be explained by the difference in the type of tested composite resins, the duration of exposure to the various staining solutions and the type of used staining solution in each study. Other factors may play more important roles in the composite resin satiability than the type of staining solution. In accordance with the results of studies by Ertas et al, in 2006 [8] and Zajkani et al, in 2013 [4], our results showed that tea caused more severe color change than cola. Previous findings revealed that yellow colorants in tea have high polarity. Discoloration by tea is due to the adsorption of polar colorants onto the surface of composite resin materials, which causes more discoloration than cola [23].

Based on a study by Um and Ruyter in 1991, although the low pH of cola may affect the surface integrity of the material and soften the matrix, the lack of yellow colorant in cola may be the reason why it did not cause a discoloration similar to tea [29]. No statistically significant difference was found between the samples immersed in iron drop and multivitamin syrup. It could be due to the difference in their viscosity, presence of other compounds and iron content (25 mg/1cc vs. 12 mg/1cc in multivitamin syrup). In agreement with other studies [8,10], when composite resins were immersed in water, the color differences were imperceptible and clinically acceptable. Our obtained results and those of other studies revealed that water sorption alone was not able to cause a significant color change in composite resins [13,30].

Although the interaction effect was significant, this effect was quantitative and not qualitative and no significant differences were found between the composite resin materials in the staining solutions.

CONCLUSION

Based on our study results, there was no difference in the degree of discoloration between the two types of composite resins. The discoloration values did not depend on the type of staining solution.

ACKNOWLEDGEMENT

This study was part of a thesis for a DDS degree by Dr. A. Mirani under the supervision of Dr. B. Malek Afzali with the cooperation of Dental School, Shahid Beheshti University of Medical Sciences, Tehran, Iran.

REFERENCES

- 1- Ibrahim MA, Wan Bakar WZ, Husein A. A comparison of staining resistant of twocomposite resins. Arch Orofac Sci. 2009;4(1):13-6.
- 2- Fujita M, Kawakami S, Noda M, Sano H. Color change of newly developed esthetic restorative material immersed in food-simulating solutions. Dent Mater J. 2006 Jun;25(2):352-9.
- 3- Mazaheri R, Malekipour MR, Seddighi H, Sekhavati H. Effect of common drinks on the color stability of microhybrid and nanohybrid composites in children. J Mash Dent Sch 2013; 37(2): 163-76.
- 4- Zajkani E, Abdoh Tabrizi M, Ghasemi A, Torabzade H, Kharazifard MJ. Effect of Staining Solutions and Repolishing on Composites in Color Change. JIDA. 2013;25(2):83-90.
- 5- Lepri CP, Palma-Dibb RG. Surface roughness and color change of a composite: influence of beverages and brushing. Dent Mater J. 2012; 31(4):689-96.
- 6- Ardu S, Braut V, Gutemberg D, Krejci I, Dietschi D, Feilzer AJ. A long-term laboratory

- test on staining susceptibility of esthetic composite resin materials. *Quintessence Int.* 2010 Sep;41(8):695-702.
- 7- Nasoohi N, Ghaemi R. The effect of Iranian and imported tea on composite resin color change-An invitro study. *Res Dent Sci.* 2013;10(1):22-26.
- 8- Ertaş E, Güler AU, Yücel AC, Köprülü H, Güler E. Color stability of resin composites after immersion in different drinks. *Dent Mater J.* 2006 Jun;25(2):371-6.
- 9- Khatri A, Nandlal B. Staining of a conventional and a nanofilled composite resins exposed in vitro liquid ingested by children. *Int J Clin Pediatr Dent.* 2013;3(3):183-188.
- 10- Mahdisiar F, Nasoohi N, Nemati Anaraki S, Ghafari Seresht A, Sedighi M. Effect of coffee on color discoloration of three nano composites (in vitro). *J Res Dent Sci.* 2014;11(2):83-89.
- 11- Erdemir U, Yildiz E, Eren MM. Effects of sports drinks on color stability of nanofilled and microhybrid composites after long-term immersion. *J Dent.* 2012 Dec;40 Suppl 2:e55-63.
- 12- Curtin JA, Lu H, Milledge JT, Hong L, Peterson J. In vitro staining of resin composites by liquids ingested by children. *Pediatr Dent.* 2008 Jul-Aug;30(4):317-22.
- 13- Villalta P, Lu H, Okte Z, Garcia-Godoy F, Powers JM. Effects of staining and bleaching on color change of dental composite resins. *J Prosthet Dent.* 2006 Feb;95(2):137-42.
- 14- Bengel WM. Digital photography and the assessment of therapeutic results after bleaching procedures. *J Esthet Restor Dent.* 2003;15 Suppl 1:S21-32.
- 15- Commission Internationale de l'Eclairage: Recommendations on uniform color space. Color difference equations. Psychometric color terms. Suppl 2 to CIE pub 15 (E-13.1) 1971/ (TC-1.3), Paris, France: Bureau Central de la CIE; 1978.
- 16- Doray PG, Li D, Powers JM. Color stability of provisional restorative materials after accelerated aging. *J Prosthodont.* 2001 Dec;10(4):212-6.
- 17- Dozić A, Kleverlaan CJ, El-Zohairy A, Feilzer AJ, Khashayar G. Performance of five commercially available tooth color-measuring devices. *J Prosthodont.* 2007 Mar-Apr;16(2):93-100.
- 18- Lath DL, Johnson C, Smith RN, Brook AH. Measurement of stain removal in vitro: a comparison of two instrumental methods. *Int J Dent Hyg.* 2006 Aug;4(3):129-32.
- 19- Wee AG, Lindsey DT, Kuo S, Johnston WM. Color accuracy of commercial digital cameras for use in dentistry. *Dent Mater.* 2006 Jun;22(6):553-9.
- 20- Smith RN, Collins LZ, Naeeni M, Joiner A, Philpotts CJ, Hopkinson I, et al. The in vitro and in vivo validation of a mobile non-contact camera-based digital imaging system for tooth colour measurement. *J Dent.* 2008;36 Suppl 1:S15-20.
- 21- Tung OH, Lai YL, Ho YC, Chou IC, Lee SY. Development of digital shade guides for color assessment using a digital camera with ring flashes. *Clin Oral Investig.* 2011 Feb;15(1):49-56.
- 22- Khokhar ZA, Razzoog ME, Yaman P. Color stability of restorative resins. *Quintessence Int.* 1991 Sep;22(9):733-7.
- 23- Nasoohi N, Hoorizad M, Torabzadeh Tari N. Effect of tea and coffee on color change of two types composite resins: Nanofilled and Micro hybrid. *J Res Dent Sci* 2011;7(4):18-22.
- 24- Mundim FM, Garcia Lda F, Pires-de-Souza Fde C. Effect of staining solutions and repolishing on color stability of direct composites. *J Appl Oral Sci.* 2010 May-Jun; 18(3):249-54.
- 25- Patel SB, Gordan VV, Barrett AA, Shen C. The effect of surface finishing and storage solutions on the color stability of resin-based composites. *J Am Dent Assoc.* 2004 May; 135(5):587-94
- 26- Nasim I, Neelakantan P, Sujeer R, Subbarao CV. Color stability of microfilled,

- microhybrid and nanocomposite resins--an in vitro study. *J Dent.* 2010;38 Suppl 2:e137-42.
- 27- Yousef M, Naga AE. Color stability of different restoratives after exposure to coloring agents. *J Am Sci.* 2012;8(2):20-26.
- 28- Fontes ST, Fernandez MR, de Moura CM, Meireles SS. Color stability of a nanofill composite: effect of different immersion media. *J Appl Oral Sci.* 2009 Sep-Oct;17(5):388-91.
- 29- Um CM, Ruyter IE. Staining of resin-based veneering materials with coffee and tea. *Quintessence Int.* 1991 May;22(5):377-86.
- 30- Burrow MF, Makinson OF. Color change in light-cured resins exposed to daylight. *Quintessence Int.* 1991 Jun;22(6):447-52.